CONTENUR

CRANE-LIFT RANGE


Igloo 3200 L

3200 L
Capacity


1280 Kg
Maximum load

1730 mm
Height

1315 mm
Openings height



TECHNICAL SPECIFICATIONS



CONTENUR

CRANE-LIFT RANGE

Igloo 3200 L

FEATURES

- CONTENUR's Crane-lift range containers are manufactured through a rotomoulding system with high-density linear polyethylene dyed in the mass and stabilised against the combined effect of water and U.V. rays; their useful life has been extended, resulting in a highly-resistant product to atmospheric factors.
- Manufactured under the strictest international standards, they have completed demanding quality and product certification tests.
- Their design has been conceived for total integration into urban surroundings, with specific solutions for each type of waste. Available in a wide range of colours and fitted with a full set of accessories, to cover any situation that may arise in city waste collection.
- Different lifting systems available: single hook, double hook or Kinshofer.
- Thanks to their manufacturing system, materials, and design, they require little maintenance.

STANDARDS

- CE Marking with sound power level shown in accordance with European Directive 2000/14/EC.
- Compliant with European standard EN 13071-1.

EQUIPMENT AND ACCESSORIES

- Manufactured from solid-coloured high density linear polyethylene and stabilised against the combined effects of UV radiation and water, it is highly resistant to atmospheric conditions.
- Smooth surfaces. Colour stability. Total corrosion resistance.
- Optimum size apertures to take each type of waste, at a maximum height of 1.315 mm. from the ground, to facilitate user access.
- Double hook or kinshofer crane lifting system.
- Waste exit doors manufactured from rotationally-moulded high density polyethylene with a double layer system for added strength.
-- The lifting/emptying system is corrosion resistant steel and is located on the upper part of the container.
- Possibility of customising body of the container with shields, logos, etc. using silk screen graphic or sticker.
- Customised containers for each type of waste collection: glass, paper, plastics, etc.


Circular openings, available diameters:

Ø200 mm
Ø250 mm
Ø300 mm

Rectangular openings, with a reinforced exterior and front overhang to prevent water ingress. Available dimension:

780 x 150 mm

Model	Capacity	Height	Width	Weight
Igloo 3200 L	3200 L	1730 mm	1868 mm	213 Kg



Igloo 3200 L

CRANE-LIFT RANGE

Igloo 3200 L

CUSTOMISATION

Can be equipped with a range of accessories providing real solutions to every requirement ...



MIXED RECYCLING



REFLECTIVE STRIPS



CUSTOMISATION WITH SILK SCREEN GRAPHIC



CUSTOMISATION WITH STICKER



PROFESSIONAL DOOR