CONTENUR

BILATERAL LOADING SYSTEM

BILATERAL LOADING CONTAINER

# 2SIDE SYSTEM 2800


**2800** L
Capacity


**1120** Kg
Load


**1180 mm**
Opening height




## TECHNICAL SPECIFICATIONS



CONTENUR

BILATERAL LOADING SYSTEM

BILATERAL LOADING CONTAINER

# 2SIDE SYSTEM 2800

## FEATURES

- Manufactured by rotational moulding with high-density linear polyethylene, mass-coloured and stabilised against the combined action of water and UV rays.
- Recyclable and environmentally friendly materials are used in their production.
- The pigments used do not contain heavy materials.
- The body is provided with ribs for strength and resistance. Exclusive CONTENUR design.
- Versions for each type of collection: paper, glass, packaging and organic.
- Recyclability rate: 100%..
- Treatment of the components by white zinc plating.

## EQUIPMENT AND ACCESSORIES

- Lifting system: double hook or Kinshofer.
- Circular loading opening at a height of 1180 mm.
- Corrosion-protected metal lifting-emptying system.
- Large personalisation space with maximum dimensions of 795 x 480 mm (upper area) and 480 x 215 mm (lower area).
- Overlapping bottom gates to prevent spillage and to store leachate (compliance with EN 13071, 2% capacity).

## CERTIFICATIONS

- This product has the following official certifications:
  - -EN 13071-1 European Standard.
  - -170001 Universal Accessibility Standard.
  - -Ecodesign Certificate, UNE-EN ISO 14006 standard.



2000



**2800**



3600

CONTENUR

BILATERAL LOADING SYSTEM

BILATERAL LOADING CONTAINER

# 2SIDE SYSTEM 2800

## CUSTOMISATION AND EQUIPMENT

Possibility of customising the container with different accessories to offer solutions adapted to every need: lid opening pedal, hinged lid, manual lock, customisation.



PEDAL





CUSTOMISATION
Upper area: 795 x 480 mm
Lower area: 480 x 215 mm




MANUAL LOCK



OPENINGS ON BOTH SIDES




LENGTHWISE AND CROSSWISE POSITIONING



OVERLAPPING GATES





LIFTING SYSTEMS
Double hook
Kinshofer



LID OPTIONS
Hinged lid
Opening Ø350 mm



TELESCOPIC ROD